

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,615	08/19/2003	Georg Strasser	P/3328-56	4949
2352	7590 09/09/2004		EXAM	INER
OSTROLENK FABER GERB & SOFFEN			FERGUSON, MARISSA L	
	JE OF THE AMERICAS , NY 100368403	3	ART UNIT	PAPER NUMBER
			2854	
			DATE MAILED: 09/09/200-	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/643,615	STRASSER, GEORG	
Office Action Summary	Examiner	Art Unit	
	Marissa L Ferguson	2854	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet wit	h the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reg. If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statul Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply within the statutory minimum of thirty will apply and will expire SIX (6) MONT ite, cause the application to become ABA	ply be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 19 A	August 2003.		
	s action is non-final.		
3) Since this application is in condition for allowed	ance except for formal matte	ers, prosecution as to the merits is	
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.	
Disposition of Claims			
4)⊠ Claim(s) 1-19 is/are pending in the application	١.		
4a) Of the above claim(s) is/are withdra			
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-4,7,13 and 14</u> is/are rejected.			
7) Claim(s) <u>5,6,8-12 and 15-19</u> is/are objected to	О.		
8) Claim(s) are subject to restriction and/	or election requirement.		
pplication Papers			
9) The specification is objected to by the Examin	er		
10) The drawing(s) filed on 19 August 2003 is/are		ected to by the Examiner.	
Applicant may not request that any objection to the	· · · · ·	•	
Replacement drawing sheet(s) including the correct		· ·	
11) The oath or declaration is objected to by the E	xaminer. Note the attached	Office Action or form PTO-152.	
riority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:	n priority under 35 U.S.C. §	119(a)-(d) or (f).	
 Certified copies of the priority document 	ts have been received.		
2. Certified copies of the priority documer	· ·	·	
3. Copies of the certified copies of the price	•	eceived in this National Stage	
application from the International Burea		and the d	
* See the attached detailed Office action for a lis	t or the certified copies not r	eceived.	
Attachment(s)) Notice of References Cited (PTO-892)	4) 🔲 Interview Su	ummary (PTO-413)	
Notice of Draftsperson's Patent Drawing Review (PTO-948)		Paper No(s)/Mail Date	

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
 Paper No(s)/Mail Date ______.

5) Notice of Informal Patent Application (PTO-152)

6) Other: ____.

Application/Control Number: 10/643,615 Page 2

Art Unit: 2854

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 17-19 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

- 2. Claim 17 recites the limitation "the stamping tool" in Line 2. There is insufficient antecedent basis for this limitation in the claim. This claim is indefinite because it is unclear as to what "stamping tool" applicant is referring to.

 Does "the stamping tool" refer to the embossing cylinder?
- 3. Claim 18 recites the limitation "a tool generating line" in Line 2 and "the holding tool" in Line 5. There is insufficient antecedent basis for this limitation in the claim. This claim is indefinite because it is unclear as to what "a tool generating line" is referring to and what "holding tool" the applicant is referring to.
- 4. Claim 19 recites the limitation "the tool generating" in Line 3. There is insufficient antecedent basis for this limitation in the claim. This claim is indefinite because it is unclear as to what "stamping tool" applicant is referring to.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which

Art Unit: 2854

said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4,13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Erb et al. (US Patent 3,655,312) in view of Bates (US Patent 5,921,175) and Sugiyama et al. (US Patent 5,588,362).

Regarding claims 1,13 and 14. Erb et al. teaches a working cylinder (22) having a first axis and a periphery, a drive for driving the cylinder to rotate around the axis (Figure 3), the embossing plates (patterns located on cylinder in Figure 3) holding patterns of the material to be laid on the support (W) being held on the working cylinder (22), a backing cylinder (23) having a periphery and being placed such that the peripheries of the cylinders are in opposition and the peripheries are spaced apart (Figure 6), the backing cylinder having a second axis, a shaft (27) through the anvil cylinder, bearings (28) between the backing cylinder and the shaft thereof and a prestress application (31) assembly operable to exert a defined prestress between the working cylinder and the backing cylinder (Figure 4). However, he does not explicitly disclose a heater and temperature controller for the working cylinder, wherein heat energy transfer elements are at selected locations between the heat housing and working cylinder providing slow heat transfer. Bates teaches an embossing machine that has a heat blower (22) wherein the temperature can be controlled at different ranges (Column 1, Lines 39-42), wherein the heat transfer elements (14) are at several locations between the heat housing and working cylinder providing slow heat transfer (Abstract, Column 1, Lines 33-52 and Column 2, Lines 22-44).

Page 4

Art Unit: 2854

Erb et al. and Bates does not explicitly disclose a space adjustment device connected with at least one of the cylinders to adjust the space between the working cylinder and the anvil cylinder. Sugiyama et al. teaches a printing press with eccentric bearings that discloses space adjustment means (Column 1, Lines 6-11, Column 3, Lines 59-67 and Column 4, Lines 1-5) between the cylinders (3,4 and Figures 1-3).

It would have been obvious to one of ordinary skill at the time the invention was made to modify the invention as taught by Erb et al. to include a heater and temperature controller as taught by Bates, since Bates teaches that it is advantageous to provide efficient and reliable embossing without damaging a work piece and to include a space adjustment device as taught by Sugiyama et al., since Sugiyama et al. teaches that it is advantageous to easily provide a space in order to compensate for different thicknesses of print medium.

Regarding claim 2, Erb et al. teaches a frame (24), a first pivot axis of a working cylinder and a second axis of the anvil cylinder are rigidly locked to the frame (Figure 4) and a rocking member (block element located above element 30) pivotably attached to the frame (24) at a third pivot axis (30) that is parallel to the working cylinder and the anvil cylinder, the rocking member being pivotable on the third pivot axis (Figure 4) so as to be part of the prestress application assembly (31).

Regarding claim 3, Erb et al. teaches a winch (31) engaged with the

Application/Control Number: 10/643,615

Art Unit: 2854

rocking member (block element located above element 30) for applying force to the rocking member to cause the prestress application assembly to exert the defined prestress between the working cylinder and the anvil cylinder.

Regarding claim 4, Erb et al. teaches a lever (29) disposed between the winch and the rocking member (Figure 4) wherein the winch moves the rocking member to cause the exertion of the prestress.

6. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Erb et al. (US Patent 3,655,312) in view of Bates (US Patent 5,921,175) and Sugiyama et al. (US Patent 5,588,362) as applied to claim 1 above, further in view of Ebneter (US Patent 3,391,638).

Erb et al., Bates and Sugiyama et al. teach the invention claimed with the except for the working cylinder having an external tubular wall defining the periphery thereof wherein a cylindrical heating housing is in thermal contact with the external wall of the working cylinder. Ebneter teaches a heated impression cylinder with cylindrical heating elements (9) that come in thermal contact with an external wall (Figure 2). It would have been obvious to one of ordinary skill at the time the invention was made to further modify the invention as taught by Erb et al. to include cylindrical heating elements as taught by Ebneter, since Ebneter teaches that is advantageous to provide cylindrical heating to prevent distortion of the cylinder jacket.

Allowable Subject Matter

- 8. Claims 5,6,8-12,15 and 16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 9. Claims 17-19 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Reasons for Allowance

10. The following is an examiner's statement of reasons for allowance: regarding claim 5, the prior art does not teach or render obvious a second cylindrical part mounted on a part of the shaft of the anvil cylinder being in contact with the first cylindrical part at the working cylinder and being independently movable with respect to the anvil cylinder, the shaft of the anvil cylinder having a pivot portion on which the second cylindrical part is defined, and the pivot portion is eccentric with respect to the second axis of the anvil cylinder.

Regarding claim 15, the prior art does not teach or render obvious blocks under the embossing plates at the working cylinder for slowing heat transfer.

Regarding claim 18, the prior art does not teach or render obvious blocks in profile shape along a tool generating line for fixing the embossing plates, and the profiles of the blocks having an inclined face toward the embossing plates for providing precise positioning of the embossing plate to allow reproduction in the radial direction and also angularly against a reference face of the holding tool.

Art Unit: 2854

Regarding claim 8, the prior art does not teach or render obvious a plurality of concentric, radially spaced apart, tubular walls in the cylindrical heating housing for defining a central space and concentric surrounding spaces defined by in between the tubular walls and communication holes at the walls between the concentric chambers.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marissa L Ferguson whose telephone number is (571) 272-2163. The examiner can normally be reached on (M-T) 6:30am-4:00pm and every other (F) 7:30am-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached on (571) 272-2168. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Marissa L Ferguson Examiner

Art Unit 2854

ANDREW H. HIRSHFELD SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800